

# Receiving Report

Date: 13/07/10

Batch No: M125588

Supplier: METAL & CO LTD

Dart P/O: 19765

Packing Slip: Yes ☒ No ☐  
 Invoice: Yes ☐ No ☒  
 Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐  
 Waybill Attached: Yes ☒ No ☐  
 Shipment Complete: Yes ☒ No ☐ N/A ☒  
 QC6 Inspection OK 13/07/10 N/A ☒  
 Work Order                      N/A ☒

## Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12

[Signature]

Production/Admin:

Date

Received/Costing

Initial

13/07/10  
[Signature]

Location

## Page 1 of 1

All amounts are calculated in domestic currency.

**Journal of Management Inquiry**, Vol. 19 No. 1, March 2010  
DOI: 10.1177/1056492609358000  
© The Author(s) 2010

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	VC-MET001 Metaux Castile	Required Date	Recv Date/ Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
PO19765	1		M304R0.375	f		5/10/2013	5/10/2013	36.2500	\$1.25	0.0000	0	\$45.34
CAD	No		304 ROUND BAR 0.375	f		36.0000	DESJ02		\$45.34	0.0000	0	
			125585									
			M304B0.625X3.000	f		5/10/2013	5/10/2013	12.0000	\$27.55	0.0000	0	\$328.15
	No		304 BAR .625 X 3.00 f	f		12.0000	DESJ02		\$328.15	0.0000	0	
			125585									
	3		M7075T6B1.000X00. f	f		5/10/2013	5/10/2013	12.0000	\$11.51	0.0000	0	\$138.17
			250									
	No		7075-T6 BAR 1.000' f	f		12.0000	DESJ02		\$138.17	0.0000	0	
			X 0.250"									
			125585									
Total Received Quantity:												60.2500
Total Qty to Inspect (PO U/M):												0.0000
Total Reject Quantity:												0.0000
Total Receipt Value:												\$511.66
Total Balance Due Quantity:												0.0000

**Castle Metals®**

A. M. Castle &amp; Co.

**PACKING SLIP/  
CERTIFICATE OF CONFORMANCE**

Page 1 of 1

Shipment No: 1743148

<b>Ship From:</b> A. M. Castle & Co. MONTREAL - CASTLE METALS 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		<b>Ship To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN		<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
<b>Date Shipped</b> 08-MAY-2013	<b>F.O.B.</b> ORIGIN	<b>Freight Terms</b> Prepaid	<b>Carrier</b> MANITOULIN	<b>BOL No</b> 1743148-2			


<b>Shipment Details</b>	<b>Final Destination Branch - MON</b>
-------------------------	---------------------------------------

<b>Order No</b> 2838435	<b>Line No</b> 3	<b>Item No</b> 21339	<b>Description</b> 0.2500.1.0000.RECT.7075.T651.ALUMINUM.CF.144.0000 ~SPECIFICATIONS: AMS-QQ-A-225/9				
<b>Purchase Order No</b> 19765	<b>Part Number</b>		<b>Ordered Qty</b> 12.00 FT	<b>Invoice Qty</b> 12.0000 FT	<i>OK 13/05/12</i>		
<b>Details</b> END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS ECCN # EAR99							
<b>Delivery No.</b> 118688350	<b>Mill</b> KAISER ALUMINUM	<b>Heat Number</b> 20159792	<b>Mech Id</b>	<b>PCS</b> 1	<b>Width (IN)</b>	<b>Length (IN)</b> 144.0000	<b>Shipped Qty(LBS)</b> 3.6360

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.	
We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.	
Reviewed by Authorized Castle Metals Representative:	Date: Name:

# KAISER ALUMINUM FABRICATED PRODUCTS

Tennalum  
309 Industrial Drive  
Jackson, TN 38301  
731-423-2811



## CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

### Miscellaneous Notes

Made in USA

This material was melted and manufactured in the USA. Mercury is not a normal contaminant in aluminum alloys. Neither mercury nor any of its compounds were utilized by Kaiser Aluminum in the manufacture of this material. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

This material meets the requirements of (cold finished) T6 temper, AMS 4122K and QQ-A-225/9E (CANCELLED). NAFTA - YES. Material complies with FAR BAA (FAR 52.225-1, Buy American Act-Supplies), DFARS BAA (DFARS 252.225-7001 Buy American Act & Bal of Payments Prog), and FAR TAA (FAR 52.225-5 Trade Agreements). No weld repair. Material is RoHS compliant.

*Handwritten:* 13/05/12

### Castle Metals FP

HEAT NUMBER 20159792  
MECHANICAL ID \_\_\_\_\_  
ITEM CODE 21339  
LOT NUMBER \_\_\_\_\_  
PO NUMBER 174659  
RECEIPT DATE 9-6-12  
SUPPLIER KAISER  
SPECIFICATION \_\_\_\_\_  
LCS 10  
COMMENT \_\_\_\_\_  
APPROVED PL

### CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ("Kaiser") hereby certifies that the metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

John Rennekamp, Quality Manager

*Handwritten signature:* John Rennekamp


Plant Serial: 177456

Kaiser Order Number: 680681

Line Item: 1

# KAISER ALUMINUM FABRICATED PRODUCTS

Tennalum  
309 Industrial Drive  
Jackson, TN 38301  
731-423-2811



## CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CUSTOMER PO NUMBER: 174659-1		CUSTOMER PART NUMBER: 21339		PRODUCT DESCRIPTION: Cold Finished Rectangle	
KAISER ORDER NUMBER: 680681	LINE ITEM: 1	SHIP DATE: 09/04/2012		ALLOY: 7075	TEMPER: T651
WEIGHT SHIPPED: 522 lbs.	QUANTITY: 144 pcs.	B/L NUMBER: 34414	DIAM/DAF/THKNS: 0.250 in.	WIDTH: 1.000 in.	LENGTH: 144.0 in.
SHIP TO: A M Castle & Co AM Castle & Co. 3400 No. Wolf Road Franklin Park, IL 60131 USA			SOLD TO: A M Castle & Co 1420 Kensington Road Suite 220 Oak Brook, IL 60523 USA		

Test Code: 1000 AC

### Actual Physical Properties

Lot Number	LONG. UTS ksi	LONG. YTS ksi	LONG. ELONG. %
20159792	79.5	71.5	14.0

### Chemical Composition, WT. % (Aluminum Remainder)

	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	OTHERS EACH	OTHERS TOTAL	Lot
Actual	0.08	0.24	1.4	0.06	2.7	0.19	5.8	0.03			20159792
Max	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.15	
Min			1.2		2.1	0.18	5.1				

### Specifications

Standard: ISO 9001, ASTM B211-12, AMS 4123H, AMS-QQ-A-225/9 Non-Standard: A97075-40-R14

*Handwritten signature and date: 13/09/12*

### CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ("Kaiser") hereby certifies that the metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

John Rennekamp, Quality Manager

*Handwritten signature of John Rennekamp*

Plant Serial: 177456

Kaiser Order Number: 680681

Line Item: 1



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No: 1743148

<b>Ship From:</b> A. M. Castle & Co. MONTREAL - CASTLE METALS 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		<b>Ship To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN		<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
<b>Date Shipped</b> 08-MAY-2013	<b>F.O.B.</b> ORIGIN	<b>Freight Terms</b> Prepaid	<b>Carrier</b> MANITOULIN	<b>BOL No</b> 1743148-2			

**Shipment Details**

<b>Order No</b> 2838435	<b>Line No</b> 2	<b>Item No</b> 5054	<b>Description</b> 0.6250.3.0000.FLAT.304.STAINLESS.HR.ANN.PICKLE.132.0000-156 .0000 SPECIFICATIONS: ASTM A276			
<b>Purchase Order No</b> 19765	<b>Part Number</b>	<b>Ordered Qty</b> 12.00 FT	<b>Invoice Qty</b> 13.0000 FT			
<b>Details</b> END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS ECCN # EAR99						
<b>Delivery No.</b> 118688384	<b>Mill</b> VALBRUNA CORPORATION	<b>Heat Number</b> 256119	<b>Mech Id</b> PCS 1	<b>Width (IN)</b>	<b>Length (IN)</b> 156.0000	<b>Shipped Qty(LBS)</b> 84.8750

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material out to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date:

Name:

# Acciaierie Valbruna S.p.A.

36100 VICENZA (Italia) - Viale della scienza, 25 z.l.  
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Bestell-/Purchase/Client  
VALBRUNA STAINLESS INC.  
2400 TAYLOR STREET WEST  
46801-FORT WAYNE, IN 46801-US

Produttore: ACCIAIERIE VALBRUNA S.P.A.  
Hersteller/Item/Usine producteur

Stato di fornitura: Descaled Annealed Hot rolled  
Lieferzustand/Delivery state/Etat de livraison

Specifiche:  
Anforderungen / Requirements / Exigences  
3304-31 33 304 A  
ASTM A262 2010 PRACTICE E  
(0) SEC.II PT.A 2010 EDITION

Qualità: T-304L #5054  
Werkstoff/Grade/Qualität

Marca: AISI  
Markenbezeichnung/Brand/Nuance

Pos. nr. Pos. nr. Nr. de poste	Oggetto Gegenstand Product description Descript. du produit	Dimensioni - In Abmessungen Dimension Dimension	Tolleranza Toleranz Allowance Tolerance	Lunghezza - In Länge Length Longueur	Colata Schmelze Heat Coulée	Pezzi Stückzahl Pieces	Peso - LB Gewicht Weight Poids	Lotto nr. Losnr. Lot nr.
0010	Flat	3,0000 x 0,6250	484 T5	144 / 156	256119		2.019	115204080

TEST ALLO STATO DI FORNITURA									
Test on delivery condition: Prüfung auf lieferbarem produkt test a l'état de fourniture Prueba sobre el material así como entregado									
TEST	Provetta/probe Spezialprüfprobe Longitudinal Spec. Ertle Ques. Ques. Weld Dim. Throat Long. diam. Throat mm	°F	Posi. Staglo Position Staglo	Snervamento Streckgrenze Yield Stress Limite elastique Rp 0,2% k.s.l.	Snervamento Streckgrenze Yield Stress Limite elastique	Resistenza Zugfestigkeit Tensile strength Resistance à traction Rm k.s.l.	Allungamento Bruchdehnung Elongation Allongement E 4d %	Strizione Einknickung Reduction of area Striction RA %	Durezza Härte Hardness Dureté HB
	Valori richiesti i Anforderungen/Required values Valeurs demandées	min max		30	-	75 115	- 40	- 50	-
A	12,5	68	L	48		93	55	70	183

TEST	min	max
A Grain size for ASTM E112		6

1) L=longitudinale/längs, T=transversale/quers, Q=Querschnittsengegend

## Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata/Heat Schmelze/Coulée	min - max 0,080	1,00	2,00	18,00 20,00	1,00	1,00	8,00 10,50	0,045	0,030	0,100	-	-	-	-	-
256119	C % 0,020	Si % 0,45	Mn % 1,64	Cr % 18,09	Mo % 0,38	Cu % 0,40	Ni % 8,00	P % 0,032	S % 0,030	N % 0,087					

Annealing temperature: 1940°F for 0.5 h/water.  
Intergranular corrosion test per ASTM A262 pract. E: ok.  
Material is DFARS Compliant

Sono state soddisfatte tutte le condizioni richieste  
Die gestellten Anforderungen sind lt. Anlage erfüllt.  
The material has been furnished in accordance with the requirements  
Le matériel a été trouvé conforme aux exigences

Controllo antimescolanza: OK  
Verwechslungsprüfung: Spezialanalyse durchgeführt  
Antibiting testing performed: OK  
Controllo antimescolanza: OK

Controllo visivo e dimensionale: soddisfa le esigenze  
Besichtigung und Ausmessung: ohne Beanstandung  
Visual inspection and dimensional check/satisfactory  
Contrôle visuel et dimension: satisfaisant

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination  
We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.  
The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1, s. 4.3 by TÜV and LLOYD'S  
Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.  
The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

Vicenza, 08/11/11 VC0006 (Mod. MCE2)	Il collaudatore di stabilimento / der Werkssachverständige / Works inspector / L'agent d'usine M. Rizzotto	Pagina - 1 di 1
--	---	-----------------

OK 13/05/12

Castle Metals FP

HEAT NUMBER 256119  
MECHANICAL ID \_\_\_\_\_  
ITEM CODE 5054  
LOT NUMBER \_\_\_\_\_  
PO NUMBER 117658  
RECEIPT DATE 1-30-12  
SUPPLIER VAIBRUNA  
SPECIFICATION \_\_\_\_\_  
LCS NO  
COMMENT \_\_\_\_\_  
APPROVED BJ





Castle Metals®

A. M. Castle & Co.

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No: 1743148

<b>Ship From:</b> A. M. Castle & Co. MONTREAL - CASTLE METALS 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		<b>Ship To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN		<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
<b>Date Shipped</b> 08-MAY-2013	<b>F.O.B.</b> ORIGIN	<b>Freight Terms</b> Prepaid		<b>Carrier</b> MANITOULIN	<b>BOL No</b> 1743148-2		

**Shipment Details** Final Destination Branch - MON

<b>Order No</b> 2838435	<b>Line No</b> 1	<b>Item No</b> 15043	<b>Description</b> 0.3750.RD.304/304L.STAINLESS.CF.ANN.132.0000-156.0000 SPECIFICATIONS: ASTM A276
<b>Purchase Order No</b> 19765	<b>Part Number</b>		<b>Ordered Qty</b> 36.00 FT
<b>Details</b> END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS ECCN # EAR99		<b>Invoice Qty</b> 36.2500 FT	

<b>Delivery No.</b> 118688350	<b>Mill</b> NORTH AMERICAN STAINLESS	<b>Heat Number</b> F3Y7	<b>Mech Id</b>	<b>PCS</b> 3	<b>Width (IN)</b>	<b>Length (IN)</b> 145.0000	<b>Shipped Qty(LBS)</b> 13.6300
----------------------------------	---	----------------------------	----------------	-----------------	-------------------	--------------------------------	------------------------------------

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.	
We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.	
Reviewed by Authorized Castle Metals Representative:	Date: Name:

4/2/09



NORTH AMERICAN  
STAINLESS

# METALLURGICAL TEST REPORT

6870 Highway 42 East  
Ghent, KY 41045-9615  
(502) 347-6000

Certificate: 816773 10	Mail To:	Ship To:	Date: 3/07/2013	Page: 1 OF 1
	A.M. CASTLE AND COMPANY 1420 KENSINGTON ROAD-SUITE 220 OAK BROOK IL 60523	A.M. CASTLE AND COMPANY 3400 NORTH WOLF ROAD FRANKLIN PARK IL 60131	Steel: 304/304L	
Customer: 0032 001			Finish: Cold Draw	
NAS Order: LN 94532 1			Dis/Thk: .3750 in	
Your Order: 208418			Leg Length: 144.00 in	
			Corrosion: ASTM A262-10 Prac A/E OK	

## PRODUCT DESCRIPTION:

ASTM A193/10a-ASME SA193/10 CL 1 GR B8  
GRAIN SIZE= 4-6  
Round Bar, Annealed, Cold Draw  
UNS 30400/30403 EN 10204 3.1, ASTM A484/11  
ASTM A276/10, ASTM A479/11, ASTM A182/10 CHEM ONLY,  
ASME SA479/10a, ASME SA182/10 CHEM ONLY  
AMS 5639H, AMS 5647J, AMS QQS-763B, QQS-763F, ASTM F899/11  
SOLUTION ANNEAL TEMP 1900F MIN

## REMARKS:

COMPLIES W/REQUIREMENTS OF DPAF 252.225-7014A-1 EU DIRECTIVE  
2002.95.EC-ROHS. RAFFAEL+CC. NO WELD REPAIR. WELDED AND NFG  
IN USA FREE FROM MERCURY AND LOW MELTING ALLOY CONTAMINATION

*OK 13/6/12*

Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight
BF22806 2036	BF22807 2055						

## CHEMICAL ANALYSIS

CH(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan)

Chemical Analysis per ASTM A751/08

Heat	Supplier #	CM	C %	CO %	CR %	CU %	MO %	N %	NI %	P %	S %
F3Y7	US		.011	.15	18.18	.49	.37	.071	8.59	.034	.0235
SI %											
.25											

## Castle Metals FP

HEAT NUMBER F3Y7

MECHANICAL ID

ITEM CODE 15043

LOT NUMBER

BO NUMBER 208418

RECEIPT DATE 3-25-13

SUPPLIER NAS

SPECIFICATION

LCS

COMMENT

APPROVED

NAS hereby certifies that the analysis on this certification is correct. Based upon the results and the accuracy of the test methods used, the material meets the specifications stated. These results relate only to the items tested and this report cannot be reproduced, except in its entirety, without the written approval of NAS

Technical  
Dept. Mgr.

ERIC HESS



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO19765

Purchase Order Date 5/02/13

PO Print Date 5/02/13

Page Number 1 of 2

Order From :

VC-MET001

METAUX CASTLE  
A.M. CASTLE & CO. (CANADA) INC. - C/O 910720  
P.O. BOX 4090 STN A  
TORONTO, ON M5W OE9  
CA

Contact Name

Vendor Phone 514.694 9575

Vendor Fax 514 695 3281

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**FAKED**  
6730302

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M304R0.375	304 ROUND BAR 0.375	5/10/13 Yes	36.00 f 36.20	Yours ppd	\$1.2600	\$45.36
		Special Inst:	MATERIAL: MATERIAL: 304/316 SS ROUND BAR AS PER ASTM A276 NOTE: AISI 303 NOT ACCEPTABLE				
2	M304B0.625X3.000	304 BAR .625 X 3.000	5/10/13 Yes	12.00 f	Yours ppd	\$27.5500	\$330.60
		Special Inst:	MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE				
3	M7075T6B1.000X00.250	7075-T6 BAR 1.000" X 0.250"	5/10/13 Yes	12.00 f	Yours ppd	\$11.6000	\$139.20

No substitution or deviation without  
consent.

Certificate of Conformity or Material  
Certification required - YES NO

Change Nbr: 1

Change Date: 5/02/13



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO19765

Purchase Order Date 5/02/13

PO Print Date 5/02/13

Page Number 2 of 2

Order From :

VC-MET001

METAUX CASTLE  
A.M. CASTLE & CO. (CANADA) INC. - C/O 910720  
P.O. BOX 4090 STN A  
TORONTO, ON M5W OE9  
CA

Contact Name		Buyer	Chantal Lavoie
Vendor Phone	514 694 9575	Requisition Nbr	
Vendor Fax	514 695 3281	Tax Resale Nbr	10127-2607
Vendor Account Nbr		Terms	Net 30
		Currency	CAD
		FOB	Destination-Collect

Special Ins: MATERIAL: 7075-T6 OR  
T651/6510/T6511/T62  
ALUMINUM BAR AS PER AMS-QQ-A-  
225/9 OR AMS 4122  
4123/4186/4187 OR AMS-QQ-A-200/11

PO Total:

\$515.16

MATERIAL CERTIFICATION  
REQ'D UPON DELIVERY

u CL

No substitution or deviation without  
consent.  
Certificate of Conformity or Material  
Certification required YES NO

Change Nbr: 1

Change Date: 5/02/13